



# CS 11 C track: lecture 7

---

- Last week: structs, `typedef`, linked lists
- This week:
  - hash tables
  - more on the C preprocessor
  - `extern`
  - `const`



# Hash tables (1)

---

- Data structures we've seen so far:
  - arrays
  - `structs`
  - linked lists



# Hash tables (2)

---

- Hash tables are a new data structure
- Like an array indexed with strings *e.g.*
  - `height["Jim"] = 6; /* not C code */`
- Very fast lookup ( $O(1)$  *i.e.* constant time)
- Flexible: can add/delete elements easily




# Hash tables (3)

---

- Want to associate a string (**key**) with a **value**
- Generate an integer **hash value** from the string key
  - different keys should generate different hash values
- Use hash value as index into an **array of linked lists**
  - array length is large (128 in lab 7)
  - array values start off as NULL pointers (empty lists)
  - no linked list should ever get larger than a few elements

# Hash tables (4)





# Note on hash table structure

---

- A hash table is an array of linked lists
- The linked lists all start off as empty lists
- Empty lists are represented as the NULL pointer
- So: the array of linked lists is actually an array of *pointers* to linked lists (pointers to nodes in a linked list)
- If you use an array of nodes, your program is broken!



# Hash tables (5)

---

- Generating the hash value from the string
  - Many ways to do it
  - We choose a particularly simple (and lame) way
  - Treat the string as an array of **chars**
  - Treat each **char** as a small integer (0 - 127)
    - C allows this
  - Sum up the values of all the characters
  - Take the sum mod 128 (the array length)
  - Gives an integer in the range 0-127
    - that's our index into the array



# Hash tables (6)

---

- Three things we can do with a hash table:
  - Look up the value corresponding to a particular key
  - Change the value corresponding to an existing key in the table
  - Add a new key/value pair to the table





# Hash tables (7)

---

- How to find the value given the key
  - compute hash value to get array index
  - find array location
  - if NULL, not there (return "not found" value)
  - if not NULL, search for key in linked list
    - if found, return node value
    - if not found, not there (return "not found" value)



# Hash tables (8)

---

- How to change the value corresponding to a given key (or add a new key/value pair):
  - compute hash value to get array index
  - find array location
  - if NULL, add node with key/value pair
  - if not NULL, search for key in linked list
    - if found, change node value
    - if not found, add new node to list
      - (anywhere in list!)



# Hash tables (9)

---

- Adding nodes to linked list
  - nodes in linked list not in any order
  - so can add to any place in list
  - most people try to add to the end of the list
  - actually easier to add to *beginning* of list
  - either way, have to set some pointer values to different values



# Hash tables (10)

---

- Hash table itself is *not* the array of linked lists
  - It's a **struct** which contains that array
  - Easy to make mistakes with this
  - Think of it as a box containing the array
- Why use a **struct** if all it contains is one array?
  - Practice in handling more complex data structures
  - Real hash tables would have more fields e.g. length of array to permit resizing of the array



# Lab 7

---

- Pretty routine application of hash tables
- One likely problem involving a memory leak
  - May be hard to figure out where to free memory



# C preprocessor: `#ifdef` (1)

---

- Sometimes want to *conditionally compile* code
- If some condition met, compile this code
- else do nothing, or do something else
- Examples:
  - debugging code
  - compiling on different platforms



## C preprocessor: `#ifdef` (2)

---

- Debugging code:

```
#define DEBUG
```

```
    int value = 10;
```

```
#ifdef DEBUG
```

```
    printf("value = %d\n", value);
```

```
#endif
```



## C preprocessor: `#ifdef` (3)

---

- Can leave out `#define` and choose at compile time:

```
% gcc -DDEBUG foo.c -o foo
```

- `-D` option means to **D**efine **DEBUG**
- This makes the debugging code compile
- Otherwise it won't compile
- Usually best to do it this way





# C preprocessor: `#else`

---

- Also use `#ifdef/#else` for portability *e.g.*:

```
#ifdef WINDOWS
```

```
#include <windows.h>
```

```
#else
```

```
#include <X11/X.h>
```

```
#endif
```



# C preprocessor: `#ifndef` (1)

---

- `#ifndef` includes code if something is **not** defined

- `assert` is defined using `#ifndef` *e.g.*

```
assert(i == 0); /* expands to: */
```

```
#ifndef NDEBUG
```

```
    if (!(i == 0)) { abort(); }
```

```
#endif
```



## C preprocessor: `#ifndef` (2)

---

- Recall: to switch off assertions, define **NDEBUG**:

```
% gcc -DNDEBUG foo.c -o foo
```

- Then all assertions are removed from code during compilation
- Useful after code has been debugged



# C preprocessor: `#if` (1)

---

- Can also test integer values with `#if/#elif/...` :

```
#if REVISION == 1
```

```
/* revision 1 code */
```

```
#elif REVISION == 2
```

```
/* revision 2 code */
```

```
#else
```

```
/* generic code */
```

```
#endif
```



## C preprocessor: `#if` (2)

---

- Use `#if 0` to comment out large blocks of code:

```
#if 0
```

```
/* This doesn't get compiled. */
```

```
#endif
```

- Useful because can't nest `/* */` comments



# C preprocessor: include guards (1)

---

- Multiple inclusion of header files can cause problems
  - *e.g.* multiple declarations of struct types
- Difficult to prevent
  - one include file includes another, etc.
- Need mechanism to prevent this



## C preprocessor: include guards (2)

---

```
/* header file "foo.h": */  
#ifndef FOO_H  
#define FOO_H  
  
/* contents of file */  
  
#endif /* FOO_H */
```

- contents of `foo.h` only included once



# extern (1)

---

- Sometimes many files need to share some data *e.g.* global variable
- Can only define in one place
- Put **extern** declaration in header file
- Means: this is defined somewhere else





## extern (2)

---

```
/* In header file "foo.h": */
```

```
extern int max_value;
```

```
/* In file "foo.c": */
```

```
/* global variable: */
```

```
int max_value = 1000000;
```



# const

---

- We've seen this:

```
#define SOME_CONSTANT 100
```

- A better alternative is this:

```
const int SOME_CONSTANT = 100;
```

- Why is this better?
  - get type checking on `SOME_CONSTANT`



# Next week

---

- Most of C language has been covered
- Virtual machines (!)
- More integer types: **short, long, unsigned**
- Wrapping up